Food and Nutrition Service

Crediting Single-Serving Packages of Grains in the Child and Adult Care


Food Program

Child and Adult Care Food Program (CACFP) operators may serve single-serving or snack-sized packages of grain items, such as breakfast cereals or whole grain crackers to meet grains requirements at snacks and meals.

In the CACFP, the minimum required amounts for grains are listed in the meal pattern as ounce equivalents (oz eq). Ounce equivalents tell you the amount of grains in a portion of food.



How Much is 1 Ounce Equivalent?





Using the Grains Measuring Chart for Single-Serving Packages

To see how many single-serving packages of grains are needed to meet CACFP meal pattern requirements, follow the steps below:

- Look at the Grains Measuring Chart for Single-Serving Packages on pages 2-3 and find the item you are serving under the "Grain Item and Package Weight" column. Grain items are listed in alphabetical order. If the item is not listed, see "What If My Grain is Different?" on page 5.
- Each item on the chart lists a minimum package weight by the name of the item. Look at the package you are serving and find its weight listed on the Nutrition Facts label or on the front of the package. Check that the package weighs the same as, or more than, the weight listed on the chart (see page 4).
- Look at the chart and find the column for the age group of your participants and the meal or snack you are serving. This column lists the number of packages you need to serve to meet the CACFP meal pattern requirement for grains. You may serve more than this amount.

	Grains Measuring Chart for Single-Serving Packages					
	Grain Item and Package Weight*	Child and Adult Care Food Program Age Group and Meal				
	BAGEL CHIPS	1- through 5-year-olds at Breakfast, Lunch, Supper, Snack	6- through 18-year-olds at Breakfast, Lunch, Supper, Snack Adults at Snack	Adults at Breakfast, Lunch, Supper		
	Net Wt: 1 OZ (28g)	Serve at Least ½ oz eq, which equals about	Serve at Least 1 oz eq, which equals about	Serve at Least 2 oz eq, which equals about		
	Bagel Chips at least 28 grams or 1 ounce	½ package	1 package	2 packages		
>	Cereal, Ready-to-Eat, All Types** at least 28 grams or 1 ounce	½ package	1 package	2 packages		
	Corn Chips at least 28 grams or 1 ounce	½ package	1 package	2 packages		

*Check that the package you want to serve weighs this amount, or more. See "Finding the Weight of Single-Serving Packages" on page 4 for more information.

**Must contain 6 grams of sugar or less per dry ounce.

All grains served in the CACFP must be whole grain-rich, enriched, or fortified.

Grains Measuring Chart for Single-Serving Packages Child and Adult Care Food Program **Grain Item and** Age Group and Meal Package Weight* 1- through Adults 6- through 5-year-olds at Breakfast, 18-year-olds at Breakfast, Lunch, at Breakfast, Lunch, Lunch, Supper Supper, Snack Supper, Snack OATMEAL Adults at Snack Serve at Least Serve at Least Serve at Least ½ oz eg, which 1 oz eg, which 2 oz eg, which let Wt: 1 OZ (28g) equals about... equals about... equals about... Crackers, Savory (e.g., cheese, saltines, whole-wheat, etc.) ½ package 1 package 2 packages at least 22 grams or 0.8 ounces Crackers, Sweet (e.g., animal, graham, ½ package 1 package 2 packages etc.) at least 28 grams or 1 ounce Croissant ½ package 1 package 2 packages at least 34 grams or 1.2 ounces Grits, Dry ½ package 1 package 2 packages at least 28 grams or 1 ounce Muffin, All Types (except corn) ½ package 1 package 2 packages at least 55 grams or 2 ounces Muffin, Corn ½ package 1 package 2 packages at least 34 grams or 1.2 ounces Oatmeal, Dry (unflavored or flavored)** ½ package 1 package 2 packages at least 28 grams or 1 ounce Pita Chips ½ package 2 packages 1 package at least 28 grams or 1 ounce Pretzels, Hard*** ½ package 1 package 2 packages at least 22 grams or 0.8 ounces Popcorn*** 2 packages 4 packages 1 package at least 14 grams or 0.5 ounce Rice Cakes ½ package 1 package 2 packages at least 22 grams or 0.8 ounces Tortilla Chips ½ package 1 package 2 packages at least 28 grams or 1 ounce

• 3 •

^{*}Check that the package you want to serve weighs this amount, or more. See "Finding the Weight of Single-Serving Packages" on page 4 for more information.

^{**}Must contain 6 grams of sugar or less per dry ounce.

^{***}Choking hazard for children under the age of 4.

All grains served in the CACFP must be whole grain-rich, enriched, or fortified.

Finding the Weight of Single-Serving Packages

All items in the Grains Measuring Chart list weights by the name of the item. Follow the steps below to see if the package of grains you want to serve meets the minimum weight listed in the chart.

1. Find the grain item and the package weight in the Grains Measuring Chart.

For example, a package of hard pretzels must weigh at least 22 grams or 0.8 ounces.

		Child and Adult Care Food Program Age Group and Meal			
	Grain Item and Package Weight*	1- through 5-year-olds at Breakfast, Lunch, Supper, Snack	6- through 18-year-olds at Breakfast, Lunch, Supper, Snack Adults at Snack	Adults at Breakfast, Lunch, Supper	
		Serve at Least ½ oz eq, which equals about	Serve at Least 1 oz eq, which equals about	Serve at Least 2 oz eq, which equals about	
>	Pretzel, Hard at least 22 grams or 0.8 ounces	½ package	1 package	2 packages	

2. Look at the Nutrition Facts label of the item you are serving. Find the serving size and make sure that it is listed as "1 package" or other similar wording. If the serving size is not listed as 1 package, look for the weight of one package on the front of the package, as shown in the picture below. If the weight of one package is shown on the front of the package, go to Step 4. If the serving size is not 1 package, and the weight of the package is not on the front of the package, see "What If My Grain Is Different?" on page 5.

3. Find the weight of one package. In this example, one package of **Brand P Hard Pretzels** weighs 28 grams.

If the weight of one package is not written on the Nutrition Facts label, look for the weight on the front of the package.

Brand P Hard Pretzels




- **4.** Compare the weight of one package to the weight listed in the Grains Measuring Chart. Is this package weight the same as, or heavier than, the weight listed in the Grains Measuring Chart?
 - Yes: Use the Grains Measuring Chart to see how many packages you need to serve to meet CACFP meal pattern requirements.
 - In this example, a package of hard pretzels must weigh at least 22 grams or 0.8 ounces to use the Grains Measuring Chart. Because 1 package of Brand P hard pretzels weighs 28 grams, you may use the row for "Pretzels, Hard" in the chart to see how many packages of Brand P hard pretzels are needed to meet CACFP meal pattern requirements.
 - No: Use another method to determine how many packages you need to serve to meet CACFP meal pattern requirements. See "What if My Grain Is Different?" on page 5.

What If My Grain Is Different?

If the package of grains you are serving:

- is lighter in weight than the item listed in the Grains Measuring Chart, or
- · does not list the weight of one package, or
- is not listed on the Grains Measuring Chart,



- Use the "Food Buying Guide for Child Nutrition Programs (FBG) Exhibit A Grains Tool" available at **foodbuyingguide.fns.usda.gov**.
- Use Team Nutrition's "Calculating Ounce Equivalents for Grains in the CACFP" worksheet available at <u>TeamNutrition.USDA.gov</u>.
- Contact your State agency or sponsoring organization for assistance.

Are There Other Menu Planning Considerations?

If you serve a package that weighs more than what is listed on the Grains Measuring Chart, then you might serve more grains than required by the CACFP meal pattern. The serving amounts listed in the meal pattern are minimums, so you are allowed to serve more than that amount. However, the tools described under "What If My Grain Is Different?" can also help you determine how much of an item is needed to meet the meal pattern requirements without serving more than what is required. Work with your vendors to purchase single-serving packages of grains that provide the right amount for your participants.

Answer Key:

See "Try It Out!" practice questions on page 6.

3. No, you should not use the Grains Measuring Chart to see how many bags of Brand S savory crackers to serve. A package of savory crackers must weigh at least 0.8 ounces or 22 grams in order to use the chart. One bag of Brand S savory crackers weighs 0.75 ounces. Because 0.75 ounces is less than 0.8 ounces, you must use another method to see how many packages of Brand S savory crackers to serve.

oz ed ot another grain item.

2. You should serve each participant 2 boxes of Brand B bran flakes cereal. Because one box of this cereal weighs 1 ounce, you may use the row for "Cereal, Ready-to-Eat, All Types" in the Grains Measuring Chart (Page 2) to see how many boxes to serve each participant 1 box of Brand B bran flakes, and serve 1

1. You should serve each child at least half (1/2) of a corn muffin. Because each corn muffin weighs 1.2 ounces (34 grams), you may use the row for "Muffin, Corn" in the Grains Measuring Chart (Page 3) to see how many muffins to serve each child.



Try It Out!

Use the information in this worksheet to answer the questions below. See page 5 for the Answer Key.

1	You want to serve individually wrapped corn muffins at lunch to 3-year-olds. Each corn muffin weighs 1.2 ounces (34 grams). How many corn muffins should you serve each child to meet the minimum amount of grains required at lunch in the CACFP?
2	Your adult day care wants to offer single-serving boxes of ready-to-eat cereal at breakfast. One box of Brand B bran flakes weighs 1 ounce (28 grams). How many boxes of bran flakes should you serve each participant to meet the minimum amount of grains required at breakfast?
3	Your at-risk afterschool program wants to serve single-serving bags of Brand S savory crackers at snack to 10-year-olds. One single-serving bag of Brand S savory crackers weighs 0.75 ounces (21 grams). Should you use the Grains Measuring Chart to determine how many bags of Brand S savory crackers to serve? Why or why not?